## NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2005 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

## **TRAWL**

#### LIMITED ENTRY

### **November - December**

Rockfish Conservation /	Area (RCA) <sup>6/</sup> :			
North of 40°10' N. lat.	shoreline - 250 fm	40°10' - 38° N. lat.		shoreline - 250 fm
		38° - 36° N. lat.		shoreline - 200 fm
		36	° - 34°27' N. lat.	50 - 200 fm
			_	50 fm - 200 fm along the mainland
		South of 34°27' N. lat.		coast; shoreline - 200 fm around islands
footrope, selective flatfish trawl, and smai the RCA. Midwater trawl gear is permitte whitin	shoreward of the RCA; all trawl gear (large Il footrope trawl gear) is permitted seaward o ed only for vessels participating in the primary g season.		Small footrope gear is required shoreward midwater trawl, and small footrope gea	ar) is permitted seaward of the RCA.
	394 for Conservation Area Descriptions a		• • • • • • • • • • • • • • • • • • • •	
Corden Bank	November - December	re than federal trip limits, particularly in waters off California  November - December		
North of 40°10'	Nevember Becomed	So	uth of 40°10'	November Beechiber
Minor slope rockfish <sup>2/</sup> &	4 000 lb / 2		Minor slope rockfish <sup>2/</sup> &	
Darkblotched rockfish	4,000 lb/ 2 months	۱′	Darkblotched rockfish	
Pacific ocean perch	3,000 lb/ 2 months	2	40°10' - 38° N. lat.	6,000 lb/ 2 months
		3	South of 38° N. lat.	40,000 lb/ 2 months
		4	<b>Splitnose</b> 40°10' - 38° N. lat.	C 000 lb/ 2 months
		5 6	South of 38° N. lat.	6,000 lb/ 2 months 40,000 lb/ 2 months
DTS complex		7	DTS complex	40,000 ID/ 2 ITIOTITIS
Sablefish		8	Sablefish	9,000 lb/ 2 months
large & small footrope gear	11,000 lb/ 2 months	9	Casiciisii	
selective flatfish or multiple <sup>8/</sup>	11,000 lb/ 2 months	10		
bottom trawl gear	11,000 15/ 2 1110111113			44 000 lb 10
Longspine thornyhead	7 000 lb / 2	11		11,000 lb / 2 months
large & small footrope gear	7,000 lb/ 2 months	12		
selective flatfish or multiple <sup>8/</sup> bottom trawl gear	7,000 lb/ 2 months	13		
Shortspine thornyhead		14	Shortspine thornyhead	3,500 lb/ 2 months
large & small footrope gear	3,500 lb/ 2 months	15		
selective flatfish or multiple <sup>8/</sup>	3,500 lb/ 2 months	16		
Dover sole		17	Dover sole	30,000 lb/ 2 months
large & small footrope or multiple 8/ bottom trawl gear	20,000 lb/ 2 months	18		
selective flatfish trawl gear	20,000 lb/ 2 months	19		
Flatfish (except Dover sole)		20	Flatfish (except Dover sole)	
			Other flatfish <sup>3/</sup> & English sole	
large & small footrope gear for Other flatfish <sup>3/</sup> & English sole		21	40°10' - 38° N. lat.	30,000 lb/ 2 months
large & small footrope gear for Petrale sole	lb/ 2 months of which may be petrale sole.	22	South of 38° N. lat.	40,000 lb/ 2 months
selective flatfish or multiple <sup>8/</sup> bottom trawl gear	30,000 lb/ 2 months, no more than 2,000 lb/ 2 months of which may be petrale sole.	23	Petrale sole	2,000 lb/ 2 months
Arrowtooth flounder		24	Arrowtooth flounder	
large & small footrope gear	50,000 lb/ 2 months	25	40°10' - 38° N. lat.	10,000 lb/ 2 months
selective flatfish or multiple <sup>8/</sup> bottom trawl gear	50,000 lb/ 2 months	26		5,000 lb/ 2 months

Whiting	CLOSED	27	Whiting	CLOSED
Minor shelf rockfish <sup>1/</sup> , Shortbelly,	Widow & Yelloweye rockfish	אליוו	Minor shelf rockfish1/, Chilipeppe rockfish	r, Shortbelly, Widow & Yelloweye
large & small footrope	300 lb/ 2 months	29	large footrope or midwater trawl for Minor shelf rockfish & Shortbelly	300 lb/ month
midwater trawl for Widow rockfish	CLOSED	30	large footrope or midwater trawl for Chilipepper	8,000 lb/ 2 months
selective flatfish trawl gear or multiple <sup>8/</sup> bottom trawl gear	300 lb/ month	31	large footrope or midwater trawl for Widow & Yelloweye	CLOSED
Yellowtail		32	small footrope trawl	300 lb/ month
large & small footrope or multiple <sup>8/</sup> bottom trawl gear	300 lb/ 2 months	33	Bocaccio	
midwater trawl	CLOSED	34	large footrope or midwater trawl	300 lb/ 2 months
selective flatfish trawl gear	2,000 lb/ 2 months	35	small footrope trawl	CLOSED
Canary rockfish			Canary rockfish	
large & small footrope or multiple <sup>8/</sup> bottom trawl gear	CLOSED	37	large footrope or midwater trawl	CLOSED
selective flatfish trawl gear	100 lb/ month	38	small footrope trawl	100 lb/ month
Minor nearshore rockfish & Black rockfish	State Permit Required	39	Minor nearshore rockfish & Black rockfish	State Permit Required
large & small footrope or multiple <sup>8/</sup> bottom trawl gear	CLOSED	40	large footrope or midwater trawl	CLOSED
selective flatfish trawl gear	300 lb/ month	41	small footrope trawl	300 lb/ month
Lingcod <sup>4/</sup>		42	Lingcod <sup>4/</sup>	
large & small footrope or multiple <sup>8/</sup> bottom trawl gear	500 lb/ 2 months	43		500 lb/ 2 months
selective flatfish trawl gear	800 lb/ 2 months	44		800 lb/ 2 months
Other Fish <sup>5/</sup> & Pacific cod	Not limited	45	Other Fish <sup>5/</sup> & Cabezon	Not limited

- 1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish North of 40 10' N Latitude and Yellowtail is included in the trip limits for minor shelf rockfish South of 40 10' N Latitude. Cowcod is closed.
- 2/ Splitnose rockfish is included in the trip limits for minor slope rockfish North of 40 10' N Latitude and POP is included in the trip limits for minor slope rockfish South of 40 10' N Latitude.
- 3/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 4/ The minimum size limit for lingcod is 24 inches (61 cm) total length.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

  Cabezon is included in the trip limits for "other fish." See state regulations for permit requirements and trip limits. Refer to Title 14, CCR, Section 150.16
- 6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.
- 7/ The "modified 200 fm" line is modified to exclude certain petrale sole areas from the RCA.
- 8/ If a vessel has both selective flatfish gear and large or small footrope gear on board during a cumulative limit period (either simultaneously or successively), the most restrictive cumulative limit for any gear on board during the cumulative limit period applies for the entrie cumulative limit period

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.



If you have any questions about these regulations, please contact either:

Mike Fukushima, Eureka @ (707)441-5797, Brenda Erwin, Belmont @ (650)631-6740

Susan Ashcraft, Belmont @ (650) 631-6786, or Steve Wertz, Los Alamitos @ (562)342-7184.

For updates check out PFMC's web page @ www.pcouncil.org or for NMFS NW Region

http://www.nwr.noaa.gov/1press/sfdpress.htm http://www.dfg.ca.gov/mrd/index\_regs.html California Department of Fish and Game – Marine Region

#### NOTICE TO CALIFORNIA COMMERCIAL FISHERMEN AND PROCESSORS

2005 Federal Groundfish Management Measures that Affect Fishermen in Federal and State Waters off California

## **TRAWL**

## **OPEN ACCESS**

#### **November - December**

PII	NK SHRIMP NON	-GROUN	NDFISH TRAWL GEAR (not subject to RCAs)		
	South	Effective April 1 - October 31: Groundfish 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/ month (minimum 24 inch size limit); sablefish 2,000 lb/ month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.			
	See § 660.390 - § 660.3	94 for Conse	1 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. reaction Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, and imits may be more restrictive than federal trip limits, particularly in waters off California		
	RIDGEBACK P		AND, SOUTH OF 38°57.50' N. LAT., CA HALIBUT AND SEA CUMBER NON-GROUNDFISH TRAWL		
	NON-GROUNDFIS	H TRAW	L Rockfish Conservation Area (RCA) for CA Halibut and Sea Cucumber:		
	40°10' - 38° N. lat.		75 fm - 150 fm		
	38° - 34°27' N. lat.		75 fm - 150 fm		
	South of 34°27' N. lat.	75 fr	m - 150 fm along the mainland coast; shoreline - 150 fm around islands		
	NON-GROUNDFISH TRAWL Rockfish Conservation Area (RCA) for Ridgeback Prawn:				
	40°10' - 38° N. lat.		75 fm - 150 fm		
	38° - 34°27' N. lat.		75 fm - 150 fm		
	South of 34°27' N. lat.	75 fm - 150 fm along the mainland coast; shoreline - 150 fm around islands			
		Groundfish 300 lb/trip. Trip limits in this table also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38°57'30" N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, starry flounder, rock sole, curlfin sole, or California scorpionfish.			
	The following รเ	ıb-limits a	and cumulative limits still apply in conjunction with the 300 pound total bycatch limit		
1	Minor slope rockfish <sup>1/</sup> Darkblotched rockfish				
2		38° N. lat.	Per trip, no more than 25% of weight of the sablefish landed		
3		38° N. lat.	10,000 lb/ 2 months		
4	Splitnose		200 lb/ month		
5	Sablefish				
6	10 10 00 1111011		500 lb/ day, or 1 landing per week of up to 1,500 lb, not to exceed 9,000 lb/ 2 months		
7		South of 36° N. lat. 350 lb/ day, or 1 landing per week of up to 1,050 lb			
9	•		CLOSED		
10			50 lb/ day, no more than 1,000 lb/ 2 months		
11 12 13	11 Dover sole 12 Arrowtooth flounder		3,000 lb/month, no more than 300 lb of which may be species other than Pacific sanddabs. When fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which		
14 15			measure 11 mm (0.44 inches) point to shank, and up to 1 lb of weight per line are not subject to the RCAs.		
<del></del>	76 Whiting 300 lb/ month				

17	Minor shelf rockfish <sup>1/</sup> , Shortbelly, Widow & Chilipepper rockfish			
18	40°10' - 34°27' N. lat.	300 lb/ 2 months		
19	South of 34°27' N. lat.	750 lb/ 2 months		
20	Canary, Cowcod & Yelloweye	CLOSED		
21	rockfish	CLOSED		
22	Bocaccio			
23	40°10' - 34°27' N. lat.	200 lb/ 2 months		
24	South of 34°27' N. lat.	100 lb/ 2 months		
25	Minor nearshore rockfish & Black rockfish	State Permit Required		
26	Shallow nearshore	300 lb/ 2 months		
27	Deeper nearshore			
28	40°10' - 34°27' N. lat.	500 lb/ 2 months		
29	South of 34°27' N. lat.	400 lb/ 2 months		
30	California scorpionfish	300 lb/ 2 months		
31	Lingcod <sup>4/</sup>	CLOSED		
32	Other Fish <sup>5/</sup> & Cabezon	Not limited		

- 1/ Bocaccio, chilipepper and cowcod are included in the trip limits for minor shelf rockfish and splitnose rockfish is included in the trip limits for minor slope rockfish North of 40 10' N Latitude. POP is included in the trip limits for minor slope rockfish and yellowtail is included in the trip limits for minor shelf rockfish South of 40 10' N Latitude.
- 2/ "Other flatfish" are defined at § 660.302 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, sand sole, and starry flounder.
- 3/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.
- 4/ The size limit for lingcod is 24 inches (61 cm) total length.
- 5/ "Other fish" are defined at § 660.302 and include sharks, skates, ratfish, morids, grenadiers, and kelp greenling.

  Cabezon is included in the trip limits for "other fish." See state regulations for permit requirements and trip limits. Refer to Title 14, CCR, Section 150.16

  6/ The Rockfish Conservation Area is a gear and/or sector specific closed area generally described by depth contours but specifically defined by lat/long coordinates set out at § 660.390.

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

# State cumulative trip limits for cabezon, greenlings, and California sheephead (includes all gears, statewide) \*

	Nov/Dec	Minimum Size limits
Cabezon	0	15 in (TL)
Greenlings	0	12 in (TL)
Sheephead	2,400	13 in (TL)

\* CGS fisheries will close if the allocation amounts are reached.



If you have any questions about these regulations, please contact either:

Mike Fukushima, Eureka @ (707)441-5797, Brenda Erwin, Belmont @ (650)631-6740

Susan Ashcraft, Belmont @ (650) 631-6786, or Steve Wertz, Los Alamitos @ (562)342**7184**.

For updates check out PFMC's web page @ www.pcouncil.org or for NMFS NW Region

http://www.nwr.noaa.gov/1press/sfdpress.htm http://www.dfg.ca.gov/mrd/index\_regs.html California Department of Fish and Game – Marine Region